

"Two powerful agents, single solution"

Tylowan-G INJECTION

(Tylosin 10% & Gentamicin 5%)







NAWAN LABORATORIES (PVT) LTD., Animal Health Division 136, Sector 15, Korangi Industrial Area, Karachi-Pakistan.

Tylowan-G

(Tylosin 10% & Gentamicin 5%)

Composition:

Each ml contains

TylosinTartrate (BP Vet).....100mg

Gentamicin as Sulphate (BP)......50mg







Tylowan-G Injection:

Tylowan-G Injection is a combination of two antibiotics namely Tylosin Tartrate and Gentamicin, recommended in treating infections of gram positive and gram negative bacteria in animals

Indication:

Tylowan-G Injection is indicated in respiratory tract infections, gastrointestinal tract infections and genital tract infections like CRD, Pneumonia, Bronchitis, Pleuritis, Pasteurellosis, Enteritis, Gastroenteritis, Salmonellosis, Metritis and Mastitis etc.

Spectrum Activity:

Tylosin has a wide spectrum of activity against gram positive bacteria including Staphylococci, Streptococci, Corynebacleria, and Erysipelothrix. II has a much narrower gram negative spectrum of activity, but has been shown to be active against Campylobacter coli, and certain spirochaetes. It has also been shown to be extremely active against Mycoplasma species isolated from both mammalian and avian hosts.

Dosage and Administration:

Administer the following dose by IM.

Large animals: 1ml per25-30kg bodyweight Sheep and Goats: 1ml per20kg bodyweight

Poultry: 1ml per15kg bodyweight. Administer once a day for 3-4days

Withdrawal Period:

Meat: 7 days before slaughter. Milk: 3 days after the last treatment.

Instructions:

- Store below 25°C in a cool, dry place.
- Protect from light & Heat.
 Do not freeze.
- Keep out of reach of children.



